

# DOMO-I 4-1

Code: K641-I



Physical



Social-emotional



Cognitive



Creative



Sliding down



Hanging



Climbing



accessibility



Integration



Socialisation



Riding



Balancing



Sensory integration



Thinking



Manipulation



Getting across

## Description

An integrated set in vibrant colors consisting of five towers, two slides, connecting bridges between the towers, climbing walls, an entrance ramp with a rope, entrance ladders, a sensory board with two colorful drums that produce maraca sounds, a sensory board with five tubular chimes that produce sound, a sensory board with a rotating wheel that produces rain sounds, a sensory board with sliding elements, pioneer, an abacus, and a sandbox with nets. The set features a design inspired by the shape of a snail. The construction is made of stainless steel, resistant to weather conditions and intensive use, with a welded structure (the use of staples is not allowed). The structural pipes (including ten bent pipes) are finished with spherical decorative elements resembling snail antennae. The walls of the slides, the entrance ramp, the climbing walls, the roofs, colorful rings, and railings are made of HDPE sheet. The floor is made of HPL with an anti-slip texture, ensuring user safety and preventing overheating in the sun and easy freezing in winter.

## Playground device consists of

- 34 structural pipes (including ten bent pipes) finished with spherical decorative elements resembling snail antennae; the pipes must form a single unit (without joints),
- 2 towers with openwork roofs curved in an arch,

- 2 towers, with 1 having a wall with a window,
- 1 tower with two walls, one with a window and the other with a decorative frieze,
- 2 stainless steel slides,
- 5 platforms made of HPL with an anti-slip texture,
- 2 bridges, connecting two towers with 4 round platforms with an anti-slip texture, suspended on chains,
- 1 bridge connecting two towers, consisting of metal pipes with four wheels mounted on chains,
- 1 climbing wall with openings and a net,
- 6 straight ladders,
- 1 climbing wall consisting of a rope entrance and two walls with openings,
- 1 entrance ramp with a rope and handles,
- 1 pioneer,
- 1 climbing tube,
- 1 spiral-shaped entrance ladder,
- 1 sensory board with two colorful drums that produce maraca sounds,
- 1 sensory board with five tubular chimes that produce sound,
- 1 sensory board with a rotating wheel that produces rain sounds,
- 1 sensory board with sliding elements,
- 7 entrance ladders,
- 1 abacus,
- 1 sandbox with four screens.

## **Product details**

- Device dimensions (LxWxH): 10.55 x 9.73 x 3.73 m
- Safety zone: 14.05 x 13.23 m
- Free fall height: 2.5 m
- Number of users: 38
- A certificate confirming compatibility with norm EN 1176
- Dimensional differences of up to +/- 5% are acceptable.

## **Materials**

- The structure and additional elements (handrails, handles, brackets, etc.) are made of stainless steel AISI 304, with pipes of diameters 76.1 x 2.0 mm (including ten bent pipes), 42.4 x 3.6 mm, and 33.7 x 2.0 mm, and profiles: 40 x 40 x 2.0 mm,
- The slides and slide railings are made of stainless steel,
- The platforms are made of HPL with a 10 mm thickness anti-slip texture,
- The roofs, entrance ramp, bridge platforms, climbing walls, slide sides, and climbing wall are made of three-layer, colored HDPE with a thickness of 15 mm.

All images are for illustrative purposes only and may vary from the actual product.

